

SAFETY DATA SHEET

1. Identification

Product Identifier	Giant Lion - Griddle Cleaner MAX	
Other means of identification	GLN-5094	
Product code		
Recommended use	Dishware and appliance surface cleaner.	
Recommended restrictions	Professional use only. Use as directed	
Manufacturer information		
Company name	Giant Lion .	
Address	4610 Ledge Ave. Toluca Lake, CA 91602	
Telephone	(323) 839-3537	
Emergency phone number	24 hour Emergency	800) 633-8253

2. Hazard(s) Identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral Serious eye damage Skin corrosion	Category 4 Category 2B Category 3
Environmental hazards	Not classified.	
OSHA defined hazards	None.	
Label elements		



Signal word	DANGER
Hazard statement	May be harmful if swallowed. Causes skin irritation and eye damage.
Precautionary statement	
Prevention	Wash hands and exposed skin thoroughly after handling. Do not breathe dust or mists. Wear protective gloves/protective clothing/eye protection/face protection.
Response	Call a POISON CENTER/doctor/medical professional if you feel unwell. Specific treatment: see first aid instructions in section 4. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	Store locked up.
Disposal	Dispose of contents/containers in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None.
Supplemental information	None.

SAFETY DATA SHEET

3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	90-100%
Sodium Carbonate	497-19-8	pH Adjuster	0-5%
Sodium Metasilicate	6834-92-0	Buffering Agent	0-5%
Sodium Tripolyphosphate	7758-29-4	pH Adjuster	0-5%
Nonoxynol	127087-87-0	Surfactant	<0.1%
Ethoxydiglycol	111-90-0	Solvent	<0.1%
Tetrasodium Pyrophosphate	231-767-1	Chelating Agent	<0.01%
Sodium Trimetaphosphate	7785-84-4	Sealant	<0.01%
Glycol Ethers	Proprietary	Solvent	<0.01%
Dye	Proprietary	Colorant	<0.001%

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Neutralize burns with vinegar. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
Ingestion	Rinse mouth. Get medical attention immediately. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of breath, respiratory tract irritation or damage.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with extreme caution.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials
--	---

SAFETY DATA SHEET

Methods and materials for containment and cleaning up	unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
	This product is miscible in water.
	Large spills: Place the material in containers using a broom or shovel. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
Environmental precautions	Small spills: Sweep up and put into containers. Clean surface thoroughly to remove residual contamination.
	Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.
	Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits	Not available.
Biological limit values	Not available.
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical State	Powder

SAFETY DATA SHEET

Color	Yellow/orange.
Odor	Characteristic.
Odor threshold	Not available.
pH	12-13 (10% solution)
Melting/freezing point	Not applicable.
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.81
Solubility in water	Soluble.
pH	12.5 – 12.8
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur
Conditions to avoid	Avoid storage in elevated temperatures.
Incompatible materials	Bases, amines, metals.
Hazardous decomposition products	Hydrogen. In case of fire see section 5.

11. Toxicological information

Information on likely routes of exposure	
Ingestion	Do not ingest. May be harmful if swallowed.
Inhalation	Do not inhale. May cause damage to the upper respiratory tract.
Skin contact	Can cause severe skin burns.
Eye contact	Can cause serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Coughing, wheezing, shortness of breath.
Acute toxicity	May be harmful if swallowed.

Fryer Cleaner Powder (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀
Acute	Oral, rat	2,540 mg/kg estimated

SAFETY DATA SHEET

*Estimates for product may be based on additional component data not shown

Skin corrosion/irritation	Can cause severe skin burns.
Serious eye damage/irritation	Can cause serious eye damage.
Respiratory sensitization	Not considered a respiratory sensitizer.
Skin sensitization	Not considered a skin sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not considered a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
	Not Listed.
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	May cause damage to the upper respiratory tract with prolonged inhalation.
Specific target organ toxicity – repeated exposure	No data available.
Aspiration hazard	No data available.

12. Ecological information

Ecotoxicity		
Product	Fryer Cleaner Powder (CAS mixture)	
Aquatic Receptor	Species	Test Thresholds
Crustacea	Daphnia magna	EC ₅₀ (48hr): 170 mg/L (estimated)
Fish	Oncorhynchus mykiss	LC ₅₀ (96 hr): 93 mg/L (estimated)
*Estimates for product may be based on additional component data not shown		

Persistence and degradability	No data available.
Bioaccumulative potential	Bio-accumulative potential is known to be low for chemical within the listed classifications.
Partition coefficient n-octanol/water (log K_{OW})	>- 3.4
	Not available.
Mobility in soil	No data available.
Other adverse effects	May be harmful to plants or wildlife in high concentrations.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

SAFETY DATA SHEET

14. Transport information

US Department of Transportation	This product packaged and shipped as ORM-D
UN number	UN1760
UN proper shipping name	Corrosive liquids, n.o.s. (contains: Sodium metasilicate)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packaging group	III
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not intended to be transported in bulk.
DOT	



15. Regulatory information

US federal regulations	.
SARA 302 Extremely hazardous substance	Not listed.
SARA 304 Emergency release notification	Not listed.
SARA 311/312 Hazard Categories	Immediate Hazard - Yes Delayed Hazard – No Fire Hazard – No Pressure Hazard – No Reactivity Hazard – No
SARA 313 (TRI reporting)	Not listed.
California Proposition 65	California Safe Drinking Water and Toxic Enforcement Act of 1986 This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)

SAFETY DATA SHEET

16. Other information, including date of preparation or last revision

Issue date 12/31/2018
Revision date 1/27/2021
Version # 2
HMIS® ratings Health: 1
Flammability: 0
Physical hazard: 0



NFPA ratings Health: 1
Flammability: 0
Instability: 0



Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information Updated composition and HMIS/NFPA ratings in accordance with industry standards

Product Ingredient Disclosure Statement

Griddle Cleaner MAX - 5094		
Water	7732-18-5	Solvent
Sodium Carbonate	497-19-8	pH Adjuster
Sodium Metasilicate	6834-92-0	Buffering Agent
Sodium Tripolyphosphate	7758-29-4	pH Adjuster
Nonoxynol	127087-87-0	Surfactant
Ethoxydiglycol	111-90-0	Solvent
Tetrasodium Pyrophosphate	231-767-1	Chelating Agent
Sodium Trimetaphosphate	7785-84-4	Sealant
Glycol Ethers	Proprietary	Solvent
Dye	Proprietary	Colorant